

# ***SPRAY EQUIPMENT & BLOWER GUN***

**HITTO®**  
Industrial Tools

**WHATSAPP**



**WEBSITE**



**FACEBOOK PAGE**



**Abrasive Grinding  
& Cutting Products**



## **HITTO INDUSTRIAL TOOLS SDN. BHD.**



**HITTO®**

### **BRASS THREAD AIR DUSTER**

**01HAD0004                      4"**

**01HAD0012                      12"**

*\* Packing : 100pcs per carton.*

*\* Brass screw thread prevention for air inlet breaking.*



**HITTO®**

### **SWISS TYPE AIR DUSTER (ABS MATERIAL)**

**01HAD4SHD                      4"**

*\* Packing : 20pcs per box, 100pcs per carton.*

*\* Strong air blow.*

*\* ABS plastic for long lasting usage.*

**01HAD12SHD                      12"**

*\* Packing : 10pcs per box  
50pcs per carton*



**HITTO®**

### **(METAL BODY) ADJUSTABLE AIR DUSTER**

**01AAD6010                      K 601**

*\* Packing : 50pcs per carton.*

*\* Adjustable nozzle.*

*\* Air inlet may differ from top or botton of the gun.*



**HITTO®**

### **(METAL BODY) LONG NOSE AIR DUSTER**

**01LAD601S                      K 601-1S**

*\* Packing : 50pcs per carton.*

*\* Air inlet may differ from top or botton of the gun.*

## HITTO INDUSTRIAL TOOLS SDN. BHD.



**HITTO®**

### TAIWAN WONDER GUN

01TWG0001

Gun Only

- Packing : 40 pcs per carton.



**HITTO®**

### TAIWAN WONDER GUN KIT

01TWG001S

- Packing : 20 sets per carton.



### ELECTRIC ENGRAVER

01EEG030W

30W

01EEG0PIN

Tungsten Needle



## HITTO INDUSTRIAL TOOLS SDN. BHD.



### **100% BRASS BODY HEAVY DUTY MINI AIR VALVE (STAINLESS STEEL INNER BALL VALVE)**



01HAV14FM      1/4 (M) x 1/4 (F)



01HAV14MM      1/4 (M) x 1/4 (M)



01HAV14MH      1/4 (M) x 5/16 (H)



01HAV14FH      1/4 (F) x 5/16 (H)



01HAV14HH      5/16 (H) x 5/16 (H)

\* Packing : 50pcs per pack



### **'EYE' PVC AIR DUSTER**

01EAD0004      4"

\* Packing : 10pcs per box.  
: 100pcs per carton.



### **'EYE' PVC AIR DUSTER**

01EAD0012      12"

\* Packing : 10pcs per box.  
: 50pcs per carton.

## HITTO INDUSTRIAL TOOLS SDN. BHD.

**01HAC030L**



**01HAC050L**



**01HAC100L**



| Code      | Tank Litre | Motor Kw ( w )     | R.P.M | L/min | C.F.M | Psi | Bar | Gw/Nw ( Kg ) | Measurement<br>L x B X H ( cm ) | 0 - 8 Bar | 5 - 8 Bar |
|-----------|------------|--------------------|-------|-------|-------|-----|-----|--------------|---------------------------------|-----------|-----------|
| 01HAC030L | 30         | 0.6 ( 600W )       | 1,440 | 108   | 3.80  | 115 | 8   | 19 / 18      | 57 X 18 X 27                    | 2.00 Min  | 40 Sec    |
| 01HAC050L | 50         | 1.35 ( 1350W )     | 2,650 | 237   | 8.40  | 115 | 8   | 30 / 29      | 65 X 31 X 59                    | 2.25 Min  | 38 Sec    |
| 01HAC100L | 100        | 1.5 ( 1500W ) 2 HP | 1,100 | 202   | 7.1   | 115 | 8   | 70 / 65      | 115 X 65 X 81                   | 5.50 Min  | 2.05 Min  |

## HITTO INDUSTRIAL TOOLS SDN. BHD.



**HITTO®**

### **PRESSURE FEED TANK (AUTO)**

01PFT010A      10 Litre ( Auto )

01PFT020A      20 Litre ( Auto )  
include (2pcs 5meter Hose)  
include (1pc 2.0mm Spray Gun)

#### **Application :**

- Enamel paint, chemical liquid, glue, fluid food, sticky material.

#### **Features :**

- Actuated by air motor  
- Pressure Regulator : 1  
- Fluid Outlet : 2  
- INNER Tank Included

#### **Air Consumption :**

- Required Air Pressure : 3kg/cm<sup>2</sup>  
- Air Inlet : 1/4"



**HITTO®**

### **DIAPHRAGM SPRAYER**

01HDS4500      4500W

#### **Included :**

- Airless Spray Gun  
- Spray Nozzle  
- Pressure Gauge  
- Pressure Hose 15M  
- Suction Hose  
- 50 cm Extension Tube

#### **Application:**

Latex Paint, Common Paint, Water-based Waterproof Paint, Thin Fire Retardant Paint.

#### **Inapplicable :**

Glue, Genuine Stone Paint, Oil-based Waterproof Coating, Thick Anticorrosive Material, Any Paint Containing Particles.

#### **Specifications:**

- Voltage/Frequency: 220V/50Hz  
- Max. Spray Flow: 3.6L/min  
- Optimal Spray Distance: 350mm 400mm  
- Spray Width: 250mm  
- Compressive Strength of High Pressure Pipe: 25Mpa  
- Spray Pressure: 14Mpa (1800psi)  
- Shutdown Pressure: 18Mpa (2800psi)  
- Max. Output Tube: 50m  
- Weight: 30kg

#### **Included:**



*\*Warning - Release Pressure Before Start The Motor*

## HITTO INDUSTRIAL TOOLS SDN. BHD.



**HITTO®**

### **AIR BRUSH COMPRESSOR**

01ABC0018

Oil Less

1/8 HP 23L / MIN 5.0 BAR / 75 PSI



**HITTO®**

### **AIR BRUSH HOSE**

01ABH0003

3 Meter



01HAB0550

**HITTO®**

### **AIR BRUSH**

01HAB0550

Nozzle 0.2mm  
( Cup Capacity: 7ml )



01HAB0880

01HAB0880

Nozzle 0.2mm  
( Cup Capacity: 22ml )



01HAB880B

01HAB880B

22ml Bottle Only

#### **Usage :**

- Fine Art and craft, auto graphics, body & nail art, photo re-touching, cake decorating, stenciling & decorative painting.
- Working pressure: 15-50psi.

## **HITTO INDUSTRIAL TOOLS SDN. BHD.**

**HITTO®**

### **HVLP AUTOMOTIVE REFINISHING GRAVITY SPRAY GUN**



01HT0078G 1.3mm

01HT0078C 600ml

- \* Spray Range : 240mm - 260mm
- \* Air Pressure : 2.5bar ( 36psi )
- \* Air Consumption : 400 litre / min
- \* Cup Capacity : 600ml
- \* Suitable for all waterborne and solvent-based material.
- \* Specially for car paint spray & coating.

**HITTO®**

### **HVLP HT8G SPRAY GUN**



01HT8G014 1.4mm

01HT8G020 2.0mm

01HT8G600 600 ml

- High volume low pressure save time & paint up to 25%.
- Reducing overshot & spray miss to protect environment.
- Pattern width : 190mm.

\* Packing : 10 sets per carton.

\* Spray painting for middle or high adhesive for surface finishing & middle coating on car, machinery, furniture and etc.

\* Air Consumption (100%) CFM : 5-10.

\* Fluid Delivery : 160-240 ml/min.

**HITTO®**

### **K-3 ADJUSTABLE MINI SPRAY GUN**



01HTKA305 K-3 ( 0.5mm)

- Pattern width : 40mm.
- Cup capacity : 200ml.

\* Packing : 30 sets per carton.

\* For spray drawing, toys, craft & small articles.

\* Air Consumption (100%) CFM : 3-8.

\* Fluid Delivery : 40-80 ml/min.

## HITTO INDUSTRIAL TOOLS SDN. BHD.



- Optional nozzle 1.5 - 2.0mm.
- Pattern width 120 - 300mm.

**HITTO®**

### HT 68S PROFESSIONAL SPRAY GUN

|           |       |
|-----------|-------|
| 01HT68S13 | 1.3mm |
| 01HT68S15 | 1.5mm |
| 01HT68S18 | 1.8mm |
| 01HT68S20 | 2.0mm |

01HSC068C Cup 1000ml

- \* Packing : 20 sets per carton.
- \* Medium viscosity painting of middle or spray coating on car, machinery, furniture & etc.
- \* Air Consumption (100%) CFM : 12.
- \* Fluid Delivery : 160-250 ml/min.
- \* Air Pressure : 45-80 psi.




- Optional nozzle 1.5 - 2.0mm.
- Pattern width 120 - 300mm.

**HITTO®**

### HT 68G GRAVITY SPRAY GUN

|           |                  |
|-----------|------------------|
| 01HT68G13 | 1.3mm ( 400 ml ) |
| 01HT68G15 | 1.5mm ( 400 ml ) |

- \* Packing : 20 sets per carton.
- \* Medium viscosity painting of middle or spray coating on car, machinery, furniture & etc.
- \* Air Consumption (100%) CFM : 12.
- \* Fluid Delivery : 160-250 ml/min.
- \* Air Pressure : 45-80 psi.



- Optional nozzle 1.5 - 2.5mm.
- Pattern width 120 - 250mm.
- Safety locking container.

**HITTO®**

### HT 7S SPRAY GUN

|           |       |
|-----------|-------|
| 01HT77S15 | 1.5mm |
| 01HT77S18 | 1.8mm |
| 01HT77S20 | 2.0mm |
| 01HT77S25 | 2.5mm |

01HT77C1L 1 Litre Cup

- \* Packing : 10 sets per carton.
- \* Medium viscosity painting of middle machinery, furniture & etc.
- \* Air Consumption (100%) CFM : 3-8.
- \* Fluid Delivery : 130-220 ml/min.

## **HITTO INDUSTRIAL TOOLS SDN. BHD.**



### **'EYE' F-75 SPRAY GUN**

01ESG7515                      1.5 mm (1 Liter)

01ESG7520                      2.0 mm (1 Liter)

< 20 sets per carton >

01ESC1000                      Cup only



### **'EYE' 75G SPRAY GUN**

01ESG075G                      1.5 mm X 400 ml  
Gravity

< 20 sets per carton >



### **'EYE' ENGINE CLEANING GUN**

01ECG100R                      Red Metal Cup

< 2 sets per box >

< 20 sets per carton >



### **'EYE' ENGINE CLEANING GUN**

01ECG100A                      Aluminium Cup

< 2 sets per box >

< 20 sets per carton >

## **HITTO INDUSTRIAL TOOLS SDN. BHD.**



**HITTO®**

### **MORTAR GUN**

**01HMG0250**

**2.5 Liter**

- Adjustable air inlet pressure.
- Adjustable air cap to control the fluid volume.
- Nozzle : 6.0mm, 8.0mm, 10.0mm.

- It widely use as toll for outdoor wall relief construction, colour sand coating, imitation stone coating.



### **UNDERCOATING GUN**

**01UCG0500**

- Application for under verhicles body in any viscosity undercoating paint.



**HITTO®**

### **SAND BLASTING GUN**

**01SBG0004**

**Include 4 Nozzle**

- Removing rusty on metal edge & surface.
- Surface treatment & design on glass.



**HITTO®**

### **ALUMINIUM OXIDE GRAIN SAND**

**01SBS01KG**

**1 KG**

- Application for sand blasting.

## **HITTO INDUSTRIAL TOOLS SDN. BHD.**

**HITTO®**

### **HVLP PREMIUM AUTOMOTIVE REFINISHING SUCTION SPRAY GUN SET**



|           |                     |
|-----------|---------------------|
| 01HTTE20S | Nozzle Range        |
|           | ( 1.4mm and 1.8mm ) |
| 01HTTE20C | 750ml               |

- \* Spray Range : 240mm - 260mm
- \* Air Pressure : 2.5bar ( 36psi )
- \* Air Consumption : 400 litre / min
- \* Cup Capacity : 750ml
- \* Suitable for all waterborne and solvent-based material.
- \* Specially for car paint spray & coating.

*\*Optional Nozzle 1.4mm & 1.8mm*



- High volume low pressure save time & paint up to 15%.
- Reducing overshot & spray miss to protect environment.



**HITTO®**

### **HVLP PREMIUM AUTOMOTIVE REFINISHING SUCTION SPRAY GUN SET**



|           |       |
|-----------|-------|
| 01HTTE20G | 1.3mm |
| 01HTTE20C | 600ml |

- \* Spray Width : 280mm
- \* Suggested Spray Distance : 2-3bar
- \* Air Consumption : 300 litre / min
- \* Cup Capacity : 600ml
- \* Suitable for all waterborne and solvent-based material.
- \* Specially for car paint spray & coating.

- High volume low pressure save time & paint up to 15%.
- Reducing overshot & spray miss to protect environment.



## **HITTO INDUSTRIAL TOOLS SDN. BHD.**



### **AIRLESS SPRAY GUN WITH NOZZLE**

01ALS0818 with nozzle

### **AIRLESS SPRAY GUN NOZZLE**

01ALSN517 517 (0.45mm)  
01ALSN519 519 (0.50mm)  
01ALSN621 621 (0.55mm)  
(Applicable Sprinkling width 25mm - 30mm)



### **15M WIRE SPIRALLY PRESSURE HOSE**

01ALSPH15 15 Meter




### **50CM EXTENSION ROD**

01ALSET50 50 CM



### **ANTI-URINE CUT-OFF VOLUME**

01AUV0075 (For Extension Rod)



### **INLET HOSE FILTER**

01IHF2416 (24.5mm X 16.5mm)



### **HITTO® WATER SEPARATOR**

01HWS0001



### **HITTO® SPRAY GUN CONTAINER FILTER**

01HSF000G Gravity Cup Filter  
01HSF0PVC PVC  
01HSF00AL Aluminium

\* Packing : 10 pcs per pct