

CAR REPAIR TOOLS

HITTO®
Industrial Tools

WHATSAPP



WEBSITE



FACEBOOK PAGE



**Abrasive Grinding
& Cutting Products**



HITTO INDUSTRIAL TOOLS SDN. BHD.



HITTO® BALL JOINT PULLER

10BJP1954

1954

- For ball joint within steering linkage.
- Easy operation without damaging screws or bolts heavily.
- Can be used at various angles.
- Jaws open 19mm.



HITTO® DISC BRAKE SEPARATOR

10DBSAB10

AB 10

- From mini cars to small trucks.
- Fits in brake caliper to push back pistons for new brake pads installation.
- Maximum pusher width: 70mm.



HITTO® POSITIVE & NEGATIVE WIND BACK KIT

10WBK0018

18 Pcs

- No matter positive or negative thread on the car, it will fit any kind type of cars.
- Winds back brake piston for replacing brake pads.



HITTO® MULTI-PURPOSE INNER TIE ROD TOOL

10HTR1839

- The master tie rod tools easily replaces inner tie rod ends without removing the rack & pinion.
- Capacity : 33-42 mm

HITTO INDUSTRIAL TOOLS SDN. BHD.

HITTO®

FEELER GAUGE (4")



10HFG13MM 100mm x 13 Pcs (MM)
(0.05 - 1.0 mm)

10HFG13AF 100mm x 13 Pcs (AF)
(0.02 - .0.040 inch)

10HFG20MM 100mm x 20 Pcs (MM)
(0.05 - 1.0 mm)

10HFG20AF 100mm x 20 Pcs (AF)
(0.02 - 0.040 inch)

* Packing : 20 sets per box
: 120 sets per carton

HITTO®

FEELER GAUGE (6")



10HFG613M 150mm x 13 Pcs (MM)
(0.05 - 1.0 mm)

10HFG613A 150mm x 13 Pcs (AF)
(0.02 - 0.40 inch)

* Packing : 20 sets per box
: 120 sets per carton

HITTO®

SCREW PITCH GAUGE



10SPG0052 52 Pcs

* Packing : 20 sets per box

HITTO INDUSTRIAL TOOLS SDN. BHD.

HITTO®

VALVE SPRING COMPRESSOR KIT



10VSC0KIT

- Applicable for OHV and OHC petrol or diesel engines.
- Complete service tool kit for installation and removal of the valve spring without removal of cylinder head from the engine.

HITTO®

MULTI NOZZLE VALVE SPRING COMPRESSOR



10VSC0005

5 Pcs

- These tools are designed to compress and release valve spring after removing the collets.
- Pantograph-type levers ensure a consistent coaxial contact with the valve.
- Contents: Driving adaptor 16mm, 19mm, 23mm, 25mm, 30mm.
- Length pressure screw 70mm, 110mm, 120mm "C" clamp.
- 130mm throat clearance.

HITTO®

VALVE SPRING COMPRESSOR



10VSC0014

14"

- Universal compressor with fixed jaws cam-action, parallel lift and automatic locking suitable for a wide range of OHC, OHV, and CVH engines.
- Jaws opening 75-140mm capacity with a 150mm throat clearance.

HITTO INDUSTRIAL TOOLS SDN. BHD.



HITTO®

OVERHEAD VALVE SPRING COMPRESSOR

10VSC000A

- Not suitable for using on engines with deep seated valves.
- Allow valve springs and valve stem oil seals to be replaced with the cylinder head.
- Feature a reversible jaw/adaptor and automatic cam-action locking to a re-determined setting.



HITTO®

VALVE STEM SEAL PLIER (LONG NOSE)

10VSP0010

265mm

- Long neck designed to reach into confined area of the seal to grip it for removal.
- Gripping serration allows them to grasp both original equipment & after market seals regardless of the configuration.



HITTO®

VACUUM CUP VALVE GRINDER

10VCG002S

2 Pcs

(1 1/8" , 1 3/8") - (5/8" - 13/16")

- For grinding flat head, unslotted valves.



HITTO®

PISTON RING COMPRESSOR

10PRC0001

(314) 2 1/8" - 5"

*Height : 3"

10PRC0002

(316) 3 1/2" - 7"

*Height : 4"

10PRC0003

(317) 3 1/2" - 7"

*Height : 6"

- Self locking ratchet pawl prevents premature release and allows positive locking action.
- For inserting the piston with ring into the cylinder.

HITTO INDUSTRIAL TOOLS SDN. BHD.



HITTO®

HEAVY DUTY COIL SPRING COMPRESSOR

10CSC0270 270 mm

10CSC0370 370 mm

- The tool is designed for use in limited space under wheel arch.
- Jaws design is fitting to wrap coil claws for safety.



HITTO®

HEAVY DUTY SINGLE JAWS COIL SPRING COMPRESSOR

10CSC28HD Capacity 23 - 280mm

- Drop forged, heat treated steel jaws.
- For automotive and industrial use.
- Hook engage spring which can be compressed by turning hex nut.



HITTO®

COIL SPRING COMPRESSOR FOR WISHBONE

10CSC04BZ

- Types 116/123/124/126/129/140/201/202 and 4-matic includes.
- Advantage : Newly developed automatic 3-point safety interlock and automatic freewheel at end of stroke.



HITTO®

PILLOT BEARING PULLER

10PBP1098 12mm - 38mm

- Remove all sleeve-type bearing with 12mm-38mm inner diameter.



HITTO®

ARMATURE BEARING PULLER

10ABP0001 AB - 1
* Packing : 10 pcs per box (19 - 35mm)

10ABP0002 AB - 2
* Packing : 6 pcs per box (24 - 55mm)

10ABP0003 AB - 3
* Packing : 6 pcs per box (35 - 80mm)

HITTO INDUSTRIAL TOOLS SDN. BHD.




HITTO®

BEARING SEPARATOR SET

10BSS0002 2 Pcs Bearing Separator

- Bearing separator (1 1/4" - 2 1/4") & (2 1/4" - 3 1/2") inside.
- 4pcs 14mm x 105mm main shank.
- 4pcs 17mm x 130mm main shank.
- 1pc 9/16" x 175mm center shank.
- For removing bearings, gears, sprockets and bushes metal storage case.



HITTO®

BEARING SEPARATOR

10HBS3050 Capacity 30mm - 50mm
Bolt 9.5mm x L125mm

10HBS5075 Capacity 50mm - 75mm
Bolt 12.7mm x L135mm

10HBS7510 Capacity 75mm - 105mm
Bolt 16mm x L165mm

10HBS1015 Capacity 100mm - 150mm
Bolt 19mm x L260mm



HITTO®

3 JAWS GEAR PULLER

Spread x Reach
10HGP0004 4" (100mm x 100mm)

10HGP0006 6" (150mm x 150mm)

10HGP0009 9" (230mm x 200mm)

10HGP0012 12" (300mm x 280mm)

10HGP0016 16" (400mm x 400mm)



HITTO®

SLIDING 2 JAWS GEAR PULLER

10SGP0080 90mm X 100mm

10SGP0120 120mm X 100mm

10SGP0150 150mm X 150mm

10SGP0200 200mm X 150mm

10SGP0250 250mm X 200mm

10SGP0350 350mm X 200mm

HITTO INDUSTRIAL TOOLS SDN. BHD.



HITTO® THREE-PAWL OIL FILTER WRENCH

100FW0002


* 12 pcs per box, 48 pcs per carton.
* Removes all oil filters from 2-1/2" to 4" in diameter.
* Use with 1/2" square drive tool.



HITTO® REVERSIBLE OIL FILTER WRENCH

100FW4700	1/2"DR (60mm - 80mm)
100FW4800	1/2"DR (80mm - 105mm)
100FW4900	1/2"DR (105mm - 145mm)

* Packing : 24pc/ctn
- special design with pull spring to make it hold
most type oil filter easily.



HITTO® OIL FILTER WRENCH

100FW0100	HH 100 (55mm - 75mm)
100FW0200	HH 200 (75mm - 95mm)
100FW0300	HH 300 (95mm - 115mm)



HITTO® NON SLIP LEATHER TYPE FILTER WRENCH

100FW012L 12"(30mm - 160mm)

* Packing : 12 pcs per box
60 pcs per carton



HITTO® CHAIN TYPE FILTER WRENCH

100FW009C	9" (30mm - 120mm)
100FW012C	12" (30mm - 160mm)
100FW024C	24" (30mm - 230mm)

HITTO INDUSTRIAL TOOLS SDN. BHD.



HEAVY DUTY 500AMP BOOSTER CLAMP



10HBC500H

500 Amp
(Black & Red)

** Packing : 25 pairs per carton*



HEAVY DUTY BOOSTER CLAMP SET



10EBC0600

600 Amp
(Black & Red)

** Packing : 50 pairs per carton*



BOOSTER CABLE CLAMP SET



10BCC0800

800 Amp

** Cable length : 7 feet*

** Packing : 12 sets per carton*



COMPRESSION TESTER KIT



10HCT0006

** Easy-reading 2-1/2" diameter gauge features color-coded quadruple calibrations with 0-300psi, 2000kpa.*

** 13" durable rubber hose with 14mm/18mm adapter.*

** 6" heavy duty stem with universal rubber cone adapter fits all plug holes.*

** Thread size nozzle: m18x1.25, m10x10.*

HITTO INDUSTRIAL TOOLS SDN. BHD.



Hitto® TIMING LIGHT

10HTL1023

- * Works on all 12 volt gasoline engines.
- * High impact ABS housing.
- * Detachable heavy duty inductive pick-up clamps and leads for easy operation and replacement.



Hitto® CAR LIGHT TESTER

10CLT0100

12V - 24V

- * Packing : 60 pcs per box.
- : 240 pcs per carton.



Hitto® MANIFOLD GAUGE SET

10MGSR134

FOR R-134a & R12

Hight Pressure : 0 - 500psi
0 - 35kg/cm²

Low Pressure : 0 - 350psi
1 - 24.5kg/cm²

Vaccum : 0 - 76cm/Hg

Include :

- Manifold Gauge : 1 Pcs
- Charging Hose Set : 3 Pcs (Blue, Yellow, Red)
- Couplers Adapter : 2 Pcs (For Hight & Low)
- Refrigerant Can Both Cap : 1 Pcs (For R-134a Type)
- Valve Core Remover : 1 Pcs (Installation Tools)



Hitto® MAGNETIC PICK UP TOOLS

10MPU0016

20 1/2"

- * Flexible Hose Length: 18.5 inch.
- * Overall Length : 22 inch.
- * Packing : 100 pcs per carton.



Hitto® 3 FUNCTION MAGNETIC PICK UP TOOLS

10MPU003F


- * Total Length: 620mm spring (410mm).
- * 1.5lb Magnetic, Jaws Puller and LED Light.
- * Packing : 100 pcs per carton.

HITTO INDUSTRIAL TOOLS SDN. BHD.


“ EYE ” ALUMINIUM ALLOY HANDLE GLASS SUCTION CUP



**10ESC0001 SINGLE { Level - 45kg
Vertical - 30kg }**



**10ESC0002 DOUBLE { Level - 95kg
Vertical - 85kg }**



**10ESC0003 TRIPLE { Level - 150kg
Vertical - 140kg }**

HITTO INDUSTRIAL TOOLS SDN. BHD.



HITTO®

CENTRE PUNCH (CRV)

10HCP0150 10mm X 150mm

* Packing : 36 pcs per box
: 360 pcs per carton



HITTO®

PIN PUNCH SET (CRV)

10HPP006S 6 Pcs
(1.5mm, 3.0, 4.0, 5.0, 6.0, 8.0mm)

* Packing : 40 sets per carton

HITTO INDUSTRIAL TOOLS SDN. BHD.



HITTO FLAT CHISEL

10HCC0008	8" X 26MM
10HCC0010	10" X 29MM
10HCC0012	12" X 32MM

* Packing : 8",10" 25 pcs per boxes
50 pcs per carton

* Packing : 12" 13 pcs per boxes
26 pcs per carton



IZELTAS TYRE CROW BAR

10ICB0024	24"
-----------	-----

* Packing : 5 pcs per boxes



TWO WAY CENTRE PUNCH (Chrome)

10TWP0006	6"
-----------	----

* Packing : 25 pcs per boxes



PIN PUNCH

10IPP0018	1/8" x 6"
10IPP0532	5/32" x 6"
10IPP0316	3/16" x 6"

* Packing : 12pcs (1 Dozen) per boxes



27 PCS LETTER PUNCH (A-Z)

10ELP0005	5mm
10ELP0006	6mm
10ELP0008	8mm



NUMBER PUNCH (0-9)

10ENP0004	4mm
10ENP0005	5mm
10ENP0006	6mm
10ENP0008	8mm
10ENP0010	10mm

HITTO INDUSTRIAL TOOLS SDN. BHD.



HITTO®

TYRE INFLATOR WITH GAUGE

10TIF0003



HITTO®

HIGH QUALITY AIR CHUCK

10HAC010Q

10"



HITTO®

AIR CHUCK

10HAC0023

23#



HITTO®

160 & 220 PSI TYRE PRESSURE GAUGE

10TPG0160

160 Psi Metal Gauge

10TPG0220

220 Psi Metal Gauge

HITTO INDUSTRIAL TOOLS SDN. BHD.



HITTO®

SNAP IN TYRE VALVE INSTALLER

10TVI0100



HITTO®

HEAVY DUTY TYPE CROW BAR

10TCB0012	12"
10TCB0020	20"
10TCB0024	24"



HITTO®

EXTENSION TYRE WRENCH

10EFW0012	1/2" Ext. L Bar (380mm - 500mm) 1/2" Dr. x (17, 19, 21, 23mm socket)
-----------	--

** Packing : 20 sets/ctn*



"MADA" AIR CHUCK

10TAC0010	10"
10TAC0014	14" (360mm) (For Truck, Tractor)

** Packing : 10 pcs per box
100 pcs per ctn*